


JN 42 6952:95 (ČSN 42 6950:86)

Odpovídající normy:

DIN: 59413:76
TDP: JN 42 0121:95
(ČSN 42 0121:77)



Profil číslo	Jmenovité rozměry [mm]			Hmotnost [kg/m]
	h	b	t	
5010215	12	10	1,5	0,224
5010310	14	4	1,0	0,126
5010915	15	10	1,5	0,259
5010920	15	10	2,0	0,345
5010925	15	10	2,5	0,412
5011715	18	12	1,5	0,318
5011720	18	12	2,0	0,424
5012215	20	10	1,5	0,318
5012220	20	10	2,0	0,424
5012320	20	12	2,0	0,455
5012420	20	15	2,0	0,502
5012430	20	15	3,0	0,707
5012620	22	18	2,0	0,581
5013020	25	10	2,0	0,502
5013120	25	12	2,0	0,534
5013215	25	15	1,5	0,436
5013220	25	15	2,0	0,581
5013230	25	15	3,0	0,824
5013420	25	20	2,0	0,659
5013110	28	20	2,0	0,707
5013920	30	10	2,0	0,581
5014020	30	15	2,0	0,659
5014220	30	20	2,0	0,738
5014230	30	20	3,0	1,060
5014240	30	20	4,0	1,350
5014320	30	25	2,0	0,816
5014330	30	25	3,0	1,178
5014420	35	10	2,0	0,659
5014520	35	14	2,0	0,707
5014620	35	15	2,0	0,738
5014630	35	15	3,0	1,060

Profil číslo	Jmenovité rozměry [mm]			Hmotnost [kg/m]
	h	b	t	
5014720	35	20	2,0	0,816
5014815	35	25	1,5	0,671
5014820	35	25	2,0	0,895
5014830	35	25	3,0	1,295
5014920	35	30	2,0	0,973
5015220	40	12	2,0	0,769
5015320	40	15	2,0	0,816
5015330	40	15	3,0	1,178
5015515	40	20	1,5	0,671
5015520	40	20	2,0	0,895
5015525	40	20	2,5	1,099
5015530	40	20	3,0	1,295
5015620	40	25	2,0	0,973
5015630	40	25	3,0	1,413
5015720	40	30	2,0	1,052
5015730	40	30	3,0	1,531
5015825	40	35	2,5	1,393
5015830	40	35	3,0	1,649
5019830	43	17	3,5	1,295
5016020	45	10	2,0	0,816
5016220	45	25	2,0	1,052
5016325	45	3S	2,5	1,492
5016330	45	35	3,0	1,766
5016430	45	40	3,0	1,884
5016620	50	20	2,0	1,052
5016630	S0	20	3,0	1,531
5016120	50	25	2,0	1,130
5016730	S0	25	3,0	1,649
5016830	50	30	3,0	1,766
5016920	50	35	2,0	1,287
5017020	50	40	2,0	1,366

Tenkostěnné profily

ocelové otevřené průřezu L nerovnoramenné

Profil číslo	Jmenovité rozměry [mm]			Hmotnost [kg/m]
	h	b	t	
5010040	55	20	4,0	2,135
5017530	55	25	3,0	1,766
5018020	60	20	2,0	1,209
5018120	60	25	2,0	1,287
5018130	60	25	3,0	1,884
5018230	60	30	3,0	2,002
5018420	60	40	2,0	1,523
5018430	60	40	3,0	2,237
5019540	60	40	4,0	2,842
5018450	60	40	5,0	3,611
5019130	65	35	3,0	2,237
5018520	70	20	2,0	1,366
5018620	70	40	2,0	1,680
5010250	70	45	5,0	4,200
5018720	70	50	2,0	1,837
5018730	70	50	3,0	2,708
5018820	75	52	2,0	1,931
5018825	15	52	2,5	2,414
5018830	75	52	3,0	2,873
5019025	85	25	2,5	2,080
5019330	104	40	3,0	3,273